

### Glasurit® Coagulating powder



#### Application:

When using water-borne products such as:

- Glasurit® 90 Line Basecoat, Metallics/Solids
- Glasurit® 176-72 1K Primer Filler
- Glasurit® 1109- Stone Chip and Underbody Protection
- Glasurit® 1109- Texture Finish

the water used to clean working tools should be collected in suitable containers.

**These containers must not get in touch with solvents.**

Use of 700-7 Coagulating Powder: Add 2 or 3 scoops of 700-7 Coagulating Powder (approx. 75 g) per about 10 litres waste water (scatter the powder to distribute the particles evenly and to increase efficiency) and stir briefly.

After a short interval, the solids will start to coagulate and can then be separated from the liquid by filtering, for example through filter mats or appropriate sieves (with a mesh size of about 80-100 microns).

When the contaminant concentration in the waste water is very high (i.e., when the water has not become clear after about 15 minutes), add more 700-7 Coagulating Powder. There is no risk of overdosing with 700-7.

The coagulated substance must be disposed of in the same way as solvent-borne paint waste. The clear, aqueous phase may be discharged into the public sewage system subject to local waste-water regulations. When you are not sure, consult the competent local authorities.

#### Properties:

- Glasurit® 700-7 Coagulating Powder is used to precipitate solids from the water used to clean working tools with which water-based products were processed.
- Once the coagulated substance has been separated, the clear, aqueous phase can be used again for pre-cleaning sprayguns, which are finally rinsed with fresh tap water.

	Paint system	RATIO Aqua
--	--------------	------------

#### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

