



A brand of BASF –  
We create chemistry

# 562-1602

## Fine Polishing Paste

<b>Application:</b>	Suitable for polishing of automotive paint finishes.
<b>Key Features:</b>	Silicone-free fine polishing compound.
<b>Remarks:</b>	The product is ready for use.

### Handling

Any contamination or faults within the painted surface should first be sanded flat using sand paper graded 1500 for initial leveling of the contamination followed by 2000 and then, for the best and easy to achieve results, 3000. Wipe clean any sanded areas dry with a clean lint-free cloth to prevent sanding dust from causing scratches later in the process.

Apply polish product to the area to be polished manually, using a lint-free cloth. For more consistent results, use a polishing machine in combination with a soft, lint-free cloth and medium-hard foam pad.



When using a new or dry pad that is installed on a polishing machine, spread the 562-1602 thinly and evenly across the entire polishing face on the foam pad and then place the pad on to the painted surface before starting the machine. Any dry areas of polishing pad can cause overheating and scratches in the painted finish which can be difficult to remove, so the initial priming of the sponge pad with the polish is very important.

Using the machine at speeds up to 1500rpm, Apply a medium downward pressure and focus on any sanded areas first. Polish these areas until any sanding marks have been completely removed. Move the machine in a front to back motion, followed by a side to side motion. Wipe off excess product with a clean and dry lint-free cloth. Microfiber cloths are especially useful for this.

Before continuing, a final clean of the area can be done using a waterborne cleaner and a soft, lint-free cloth to ensure no sanding marks remain. Repeat the polishing process until the desired result is achieved.

---

Please note: For automotive refinish, repair instructions of vehicle manufacturers, in particular regarding installed sensor technology, must always be observed in addition to the processing instructions given within this document.

---

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at [www.glasurit.com](http://www.glasurit.com) or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

BASF Coatings GmbH - Automotive Refinish Coatings Solutions Europe - Glasuritstrasse 1 - 48165 Münster - Germany

11/2022