

### Product list

Body Fillers	BF	Hardeners	Reducers
Glasurit® Multi Purpose Body Filler	839-20/20K	948-36 948-52	
Glasurit® Fine Body Filler	839-25	948-36	
Glasurit® Soft-Body Filler	839-55	948-36 948-52	
Glasurit® Universal Body Filler	839-70/70K	948-36 948-52	
Glasurit® Multi Brushing Body Filler	839-85	948-36	max. 4% 352-10, -50
Glasurit® Plastic Body Filler	839-90	948-36	
Glasurit® Glass fibre body filler	901-21	948-36	
Glasurit® UP-Spray Filler grey	1006-26	948-22	

Primers	P	Hardeners	Reducers
Glasurit® 1K Anti-corrosive Primer	183-30		
Glasurit® Etch Primer Filler	283-150	352-230	
Glasurit® 2K SF Primer	285-26	929-26	352-50 352-91 352-216
Glasurit® 1K-Plastics Primer	934-0		
Glasurit® 1K Plastic Adhesion Primer	934-10		

#### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



### Product list

Primer Fillers	PF	Hardeners	Reducers
Glasurit® UV Primer filler grey	151-170		
Glasurit® 1K Primer Filler	176-72		93 E3
Glasurit® 1K Express Primer Filler light grey	183-70		
Glasurit® Etch Primer Filler	283-150	352-228	352-50 352-91
Glasurit® Primer Filler Pro, white	285-230	929-58	352-50 352-91 352-216
Glasurit® Primer Filler Pro, grey	285-270	929-58	352-50 352-91 352-216
Glasurit® Primer Filler Pro, black	285-290	929-58	352-50 352-91 352-216
Glasurit® HS Primer Filler, grey	285-505	929-55 929-56	352-50 352-91 352-216
Glasurit® HS Primer Filler, black	285-555	929-55 929-56	352-50 352-91 352-216
Glasurit® HS Primer Filler, white	285-655	929-55 929-56	352-50 352-91 352-216
Glasurit® Primer Filler	285-700	929-55 929-56	352-50 352-91 352-216
Glasurit® Primer Filler, white	285-730	929-55 929-56	352-50 352-91 352-216
Glasurit® Primer Filler, black	285-790	929-55 929-56	352-50 352-91 352-216

#### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



## Product list

Primer Fillers	PF	Hardeners	Reducers
Glasurit® Epoxy Primer Filler grey	801-72	965-60	352-91 352-216
Glasurit® 2K Plastic Primer Filler	934-70	929-56	352-50 352-91

Fillers and Surfacer	F	Hardeners	Reducers
Glasurit® HS Transparent Sealer	285-0	929-55 929-56	352-50 352-91 352-216
Glasurit® HS VOC Non-Sanding Filler, light grey	285-31	929-55 929-56	352-91 352-216
Glasurit® HS VOC Non-Sanding Filler, white	285-38	929-55 929-56	352-91 352-216
Glasurit® HS VOC Non-Sanding Filler, black	285-49	929-55 929-56	352-91 352-216
Glasurit® HS VOC Tintable Filler, transparent	285-95	929-55 929-56	352-50 352-91 352-216

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



## Product list

Topcoats	T	Hardeners	Reducers
22 Line Glasurit® HS 2K Topcoat	22-HS	929-91 929-93 929-94	352-50 352-91 352-216
22 Line Glasurit® HS 2K Topcoat VOC	22- VOC	929-31 929-33 929-34	352-50 352-91 352-216
22 Line Glasurit® HS 2K Topcoat VOC MC600	22- VOC MC600	929-61 929-63 929-64	352-10 352-30 352-50
55 Line Glasurit® Basecoat	55-		352-50 352-91 352-216
Glasurit® 55 Line Basecoat velvet silver II	55-9190	929-HS 929-VOC	
Glasurit® Basecoat 55- Limited Edition 55- Magic Collection	55-		352-50 352-91 352-216
90 Line Glasurit® Basecoat	90-		93-E3
Glasurit® Basecoat 90- Limited Edition 90- Magic Collection	90-		93-E3
Glasurit® 90 Interior Color System Metallics/Solids/Pearl Effects	90-IC 440	93-IC 330	352-50 352-91 352-216

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



### Product list

Clears	C	Hardeners	Reducers
<b>Glasurit® HS Clear VOC</b>	<b>923-35</b>	929-31 929-33 929-34	352-91 352-216
<b>Glasurit® MS-Clear extremely scratch-resistant</b>	<b>923-43</b>	929-76	352-91 352-216
<b>Glasurit® HS Clear scratch resistant VOC</b>	<b>923-45</b>	929-31 929-33 929-34	352-91 352-216
<b>Glasurit® MS Extra Matt Clear</b>	<b>923-55</b>	929-31 929-91 929-33 929-93 929-34 929-97	352-91
<b>Glasurit® MS Clear matt Flexible</b>	<b>923-58</b>	929-31 929-91 929-33 929-93 929-34 929-94 929-97	352-91
<b>Glasurit® HS-UV-Clear</b>	<b>923-109</b>	929-91 929-93 929-94	352-50 352-91 352-216
<b>Glasurit® HS Universal Clear VOC</b>	<b>923-115</b>	929-31 929-33 929-34	352-91 352-216
<b>Glasurit® HS Racing Clear VOC</b>	<b>923-135</b>	929-31 929-33	352-50 352-91 352-216
<b>Glasurit® MS-Racing Clear</b>	<b>923-144</b>	929-91 929-93	352-50 352-91 352-216
<b>Glasurit® MS Clear</b>	<b>923-155</b>	929-91 929-93 929-94	352-50 352-91 352-216

#### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



## Product list

Clears	C	Hardeners	Reducers
<b>Glasurit® HS Multi Clear</b>	<b>923-255</b>	929-91 929-93 929-94	352-50 352-91 352-216
<b>Glasurit® HS Multi Clear VOC</b>	<b>923-335</b>	929-31 929-33 929-34	352-91 352-216
<b>Glasurit® HS Clear scratch-resistant VOC</b>	<b>923-447</b>	929-31 929-33 929-34	352-91 352-216
<b>Glasurit® HS Clear ultra scratch-resistant VOC</b>	<b>925-2002</b>	929-2002	352-91 352-216 352-370
<b>Glasurit® HS Clear fast-drying VOC</b>	<b>923-610</b>	929-61 929-63 929-64	352-10 352-30 352-40
<b>Glasurit® HS Clear universal VOC</b>	<b>923-625</b>	929-61 929-63 929-64	352-10 352-30 352-40
<b>Glasurit® HS Clear superior gloss VOC</b>	<b>923-630</b>	929-61 929-63 929-64	352-10 352-30 352-40
<b>Glasurit® HS Clear scratch-resistant VOC</b>	<b>923-645</b>	929-61 929-63 929-64	352-10 352-30 352-40

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



## Product list

Miscellaneous	X	Hardeners	Reducers
Glasurit® Blending Clear	55-B500		
Glasurit® Tri-coat Additive	90-M5		93-E3 93-E3 lang
Glasurit® Blending Clear	90-M50		93-E3 93-E3 lang
Glasurit® Guide Coat black	581-90		
Glasurit® Cleaner	700-1		
Glasurit® Degreasing and cleansing agent	700-10		
Glasurit® Coagulating powder	700-7		
Glasurit® Stone chip and underbody protection	1109-		90-VE
Glasurit® Blend-in Reducer	352-450		
Glasurit® Spot-Blender	352-500		
Glasurit® Spot-Blender - aerosol can	352-500 AE		

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.



## Product list

Additives	Z	Hardeners	Reducers
Glasurit® plastic additive	522-10		
Glasurit® Brush- and Roll Additive	522-78		
Glasurit® Soft face Additive	522-111		
Glasurit® HS Flexible Matting agent	522-322		
Glasurit® Texture additive Fine	522-345		
Glasurit® Racing Additive	523-15		
Glasurit® Anti-silicone additive	580-100		
Glasurit® Hardener	929-		
Glasurit® HS Topcoat Hardener / HS Filler Hardener	929- HS		
Glasurit® Hardener VOC	929- VOC		

### Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at <http://techinfo.glasurit.com> or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

