

A-A-42S

Blending additive, spray can



A brand of BASF –
We create chemistry

Application:	AraClass - Blend-in reducer for AraClass clear coats.
Key Features:	A specific combination of solvents used to melt in clear coat fade-out areas in spot repairs or when fading out the clear in blend-in repairs.
Remarks:	The product is ready for use. Shake well before use.

Handling



Do not use deformed aerosol cans. While shaking the can, do not strike against solid objects. During shaking, the mixing balls are released. Avoid bumps, friction and impact.



2 min



2 or 3 spraycoats to the clear coat fade-out areas to melt them in.

Drying Remark	As recommended for the clear used.
----------------------	------------------------------------

Safety advice:

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

2004/42/IIIB(e)(840)839: The EU limit value for this product (product category: IIB.e) in ready to use form is max 840 g/litre of VOC. The VOC content of this product is 839 g/litres.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at www.glasurit.com or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.